

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

ACRYLAMIDE 99% AR

CAS-No.: 79-06-1

Product Code: 00058

Molecular Formula: C_3H_5NO

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

ACRYLAMIDE 99% AR

CAS-No.: 79-06-1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	:	Substance
Trade name	:	Acrylamide 99% AR
EC-No.	:	201-173-7
CAS No	:	79-06-1
Synonyms	:	Acrylic acid amide / 2-Propenamamide

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec: Industrial For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Company : Chemnovo Synthesis Pvt Ltd.
N-226 Near Kumbhavali Naka
Tarapur MIDC, Boisar-401 506
Palghar, Maharashtra
Telephone : +91 7400096089
Email: export@chemnovo.in

1.4. Emergency telephone number

Emergency number : + 91 7400096089 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 3	H301
Acute toxicity (dermal), Category 4	H312
Acute toxicity (inhal.), Category 4	H332
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Germ cell mutagenicity, Category 1A	H340
Carcinogenicity, Category 1A	H350
Reproductive toxicity,	H361f

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

ACRYLAMIDE 99% AR

CAS-No.: 79-06-1

Category 2

Specific target organ toxicity – Repeated exposure, Category 1 H372

Full text of H statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Carc.Cat.1; R45

Muta.Cat.1; R46

T; R23

T; R24

T; R25

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS06

GHS08

Signal word (CLP)	:	Danger
Hazard statements (CLP)	:	H301 - Toxic if swallowed. H312+H332 - Harmful in contact with skin or if inhaled H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H340 - May cause genetic defects. H350 - May cause cancer. H361f - Suspected of damaging fertility. H372 - Causes damage to organs through prolonged or repeated exposure.
Precautionary statements (CLP)	:	P201 - Obtain special instructions before use. P280 - Wear protective gloves, protective clothing, eye protection, face protection. P301+P310 - IF SWALLOWED: Immediately call a doctor.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 - IF exposed or concerned: Get medical advice/attention.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substance

Name	:	Acrylamide 99% AR
CAS No	:	79-06-1
EC no	:	201-173-7

Full text of R- and H-statements: see section 16

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	:	Allow affected person to breathe fresh air. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	:	Wash with plenty of water/.... Get medical advice/attention. Wash contaminated clothing before reuse.
First-aid measures after eye contact	:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
First-aid measures after ingestion	:	Rinse mouth. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	:	May cause genetic defects. May cause cancer. Suspected of damaging fertility. Causes damage to organs through prolonged or repeated exposure.
Symptoms/effects after inhalation	:	Harmful if inhaled.
Symptoms/effects after skin contact	:	Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	:	Causes serious eye irritation.
Symptoms/effects after ingestion	:	Toxic if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media**

- Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.
Unsuitable extinguishing media : Do not use extinguishing media containing water.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighter

- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****6.1.1. For non-emergency personnel**

- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Use personal protective equipment as required.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

- Precautions for safe handling : Avoid contact with skin and eyes. Do not breathe vapours. Avoid dust formation.
Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in a well-ventilated place. Keep container tightly closed.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

ACRYLAMIDE 99% AR

CAS-No.: 79-06-1

No additional information available

8.2. Exposure controls

Hand protection	:	protective gloves
Eye protection	:	Chemical goggles or safety glasses
Skin and body protection	:	Wear suitable protective clothing
Respiratory protection	:	[In case of inadequate ventilation] wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	:	Solid
Molecular mass	:	71.08 g/mol
Colour	:	White powder
Odour	:	odourless.
Odour threshold	:	No data available
pH	:	No data available
Relative evaporation rate (butylacetate=1)	:	No data available
Melting point	:	83 - 85 °C
Freezing point	:	No data available
Boiling point	:	125 °C
Flash point	:	No data available
Auto-ignition temperature	:	240 °C
Decomposition temperature	:	84 °C
Flammability (solid, gas)	:	No data available
Vapour pressure	:	0.007 mm Hg at 20 °C
Relative vapour density at 20 °C	:	2.45
Relative density	:	No data available
Density	:	1.122 g/cm ³
Solubility	:	Water: Soluble
Log Pow	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available
Explosive properties	:	No data available
Oxidising properties	:	No data available
Explosive limits	:	No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

ACRYLAMIDE 99% AR

CAS-No.: 79-06-1

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Water, humidity. Moisture. Air contact.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	:	Toxic if swallowed. Harmful in contact with skin. Harmful if inhaled.
Skin corrosion/irritation	:	Causes skin irritation
Serious eye damage/irritation	:	Causes serious eye irritation.
Respiratory or skin sensitisation	:	May cause an allergic skin reaction.
Germ cell mutagenicity	:	May cause genetic defects.
Carcinogenicity	:	May cause cancer.
Reproductive toxicity	:	Suspected of damaging fertility.
Specific target organ toxicity (single exposure)	:	Not classified
Specific target organ toxicity (repeated exposure)	:	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	:	Not classified
Potential adverse human health effects and symptoms	:	Toxic if swallowed. Toxic in contact with skin.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

ACRYLAMIDE 99% AR (79-06-1)
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

ACRYLAMIDE 99% AR

CAS-No.: 79-06-1

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations	:	Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Ecology – waste materials	:	Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / AND

14.1. UN number

UN-No. (ADR)	:	2074
UN-No. (IMDG)	:	2074
UN-No. (IATA)	:	2074
UN-No. (ADN)	:	2074
UN-No. (RID)	:	2074

14.2. UN proper shipping name

Proper Shipping Name (ADR)	:	ACRYLAMIDE, SOLID
Proper Shipping Name (IMDG)	:	ACRYLAMIDE, SOLID
Proper Shipping Name (IATA)	:	ACRYLAMIDE, SOLID
Proper Shipping Name (ADN)	:	ACRYLAMIDE, SOLID
Proper Shipping Name (RID)	:	ACRYLAMIDE, SOLID
Transport document description (ADR)	:	UN 2074 ACRYLAMIDE, SOLID, 6.1, III, (E)
Transport document description (IMDG)	:	UN 2074 ACRYLAMIDE, SOLID, 6.1, III
Transport document description (IATA)	:	UN 2074 Acrylamide, solid, 6.1, III
Transport document description (ADN)	:	UN 2074 ACRYLAMIDE, SOLID, 6.1, III
Transport document description (RID)	:	UN 2074 ACRYLAMIDE, SOLID, 6.1, III

14.3. Transport hazard class(es)

ADR	:	
Transport hazard class(es) (ADR)	:	6.1
Danger labels (ADR)	:	6.1
	:	



IMDG

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

ACRYLAMIDE 99% AR

CAS-No.: 79-06-1

Chemnovo

DRIVEN BY CHEMISTRY, DEFINED BY PRECISION

Transport hazard class(es) (IMDG) : 6.1

Danger labels (IMDG) : 6.1



IATA

Transport hazard class(es) (IATA) : 6.1

Hazard labels (IATA) : 6.1



AND

Transport hazard class(es) (ADN) : 6.1

Danger labels (ADN) : 6.1



RID

Transport hazard class(es) (RID) : 6.1

Danger labels (RID) : 6.1



14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : III

MATERIAL SAFETY DATA SHEET (SDS/MSDS)**ACRYLAMIDE 99% AR****CAS-No.: 79-06-1**

Packing group (IATA)	:	III
Packing group (ADN)	:	III
Packing group (RID)	:	III

14.5. Environmental hazards

Dangerous for the environment	:	No
Marine pollutant	:	No
Other information	:	No supplementary information available

14.6. Special precautions for user**- Overland transport**

Classification code (ADR)	:	T2
Limited quantities (ADR)	:	5kg
Excepted quantities (ADR)	:	E1
Packing instructions (ADR)	:	P002, IBC08, LP02, R001
Special packing provisions (ADR)	:	B3
Mixed packing provisions (ADR)	:	Mp10
Portable tank and bulk container instructions (ADR)	:	T1
Portable tank and bulk container special provisions (ADR)	:	Tp33
Tank code (ADR)	:	SGAH, L4BH
Tank special provisions (ADR)	:	TU15, Te19
Vehicle for tank carriage	:	AT
Transport category (ADR) : 2		
Special provisions for carriage - Bulk (ADR)	:	VC1, VC2, Ap7
Special provisions for carriage - Loading, unloading and handling (ADR)	:	CV13, Cv28
Special provisions for carriage - Operation (ADR)	:	S9
Hazard identification number (Kemler No.)	:	60
Orange plates	:	

60**2074**

Tunnel restriction code (ADR)	:	E
EAC code	:	2X
- Transport by sea		
Limited quantities (IMDG)	:	5 kg
Excepted quantities (IMDG)	:	E1
Packing instructions (IMDG)	:	P002, Lp02
IBC packing instructions (IMDG)	:	IBC08
IBC special provisions (IMDG)	:	B3

MATERIAL SAFETY DATA SHEET (SDS/MSDS)**ACRYLAMIDE 99% AR****CAS-No.: 79-06-1****Chemnovo**

DRIVEN BY CHEMISTRY, DEFINED BY PRECISION

Tank instructions (IMDG)	:	T1
Tank special provisions (IMDG)	:	Tp33
EmS-No. (Fire)	:	F-A
EmS-No. (Spillage)	:	S-A
Stowage category (IMDG)	:	A
Stowage and handling (IMDG)	:	SW1, H2
MFAG-No	:	153P
- Air transport		
PCA Excepted quantities (IATA)	:	E1
PCA Limited quantities (IATA)	:	Y645
PCA limited quantity max net quantity (IATA)	:	10kg
PCA packing instructions (IATA)	:	670
PCA max net quantity (IATA)	:	100kg
CAO packing instructions (IATA)	:	677
CAO max net quantity (IATA)	:	200kg
ERG code (IATA)	:	6L
- Inland waterway transport		
Classification code (ADN)	:	T2
Special provisions (ADN)	:	802
Limited quantities (ADN)	:	5 kg
Excepted quantities (ADN)	:	E1
Carriage permitted (AND)	:	T
Equipment required (ADN)	:	PP, EP
Number of blue cones/lights (ADN)	:	0
- Rail transport		
Classification code (RID)	:	T2
Limited quantities (RID)	:	5kg
Excepted quantities (RID)	:	E1
Packing instructions (RID)	:	P002, IBC08, LP02, R001
Special packing provisions (RID)	:	B3
Mixed packing provisions (RID)	:	Mp10
Portable tank and bulk container instructions (RID)	:	T1
Portable tank and bulk container special provisions (RID)	:	Tp33
Tank codes for RID tanks (RID)	:	SGAH, L4BH
Special provisions for RID tanks (RID)	:	Tu15
Transport category (RID)	:	2
Special provisions for carriage - Bulk (RID)	:	VC1, VC2, Ap7
Special provisions for carriage - Loading, unloading and handling (RID)	:	CW13, CW28, Cw31

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

ACRYLAMIDE 99% AR

CAS-No.: 79-06-1

Colis express (express parcels) (RID) : Cell
Hazard identification number (RID) : 60

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

ACRYLAMIDE 99% AR is not on the REACH Annex XIV List

ACRYLAMIDE 99% AR is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 3, Highly hazardous to water
(Classification according to AwSV; ID No. 716)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : Acrylamide 99% AR is listed

SZW-lijst van mutagene stoffen : Acrylamide 99% AR is listed

NIET-limitatieve lijst van voor de : The substance is not listed

voortplanting giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de : Acrylamide 99% AR is listed

voortplanting giftige stoffen –

Vruchtbaarheid

NIET-limitatieve lijst van voor de : The substance is not listed

voortplanting giftige stoffen – Ontwikkeling

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

MATERIAL SAFETY DATA SHEET (SDS/MSDS)**ACRYLAMIDE 99% AR****CAS-No.: 79-06-1**

Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Carc. 1A	Carcinogenicity, Category 1A
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Muta. 1A	Germ cell mutagenicity, Category 1A
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
H301	Toxic if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H340	May cause genetic defects.
H350	May cause cancer.
H361f	Suspected of damaging fertility.
H372	Causes damage to organs through prolonged or repeated exposure.
R23	Toxic by inhalation
R24	Toxic in contact with skin
R25	Toxic if swallowed
R45	May cause cancer
R46	May cause heritable genetic damage
T	Toxic

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Chemnovo Synthesis Pvt Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.chemnovo.in for additional terms and conditions of sale.

Version: 2.0
Revision Date: 11 December 2025