

# MATERIAL SAFETY DATA SHEET (SDS/MSDS)

## CHROMIUM TRIOXIDE 99% AR

CAS-No.: 1333-82-0

Product Code: 00808

Molecular Formula:  $\text{CrO}_3$

# MATERIAL SAFETY DATA SHEET (SDS/MSDS)

## CHROMIUM TRIOXIDE 99% AR

CAS-No.: 1333-82-0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form	:	Substance
Trade name	:	Chromium Trioxide 99% AR
EC-No.	:	215-607-8
CAS No	:	1333-82-0
Synonyms	:	Chromium(VI) Oxide, Chromium anhydride

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Industrial/Professional use spec:	Industrial For professional use only
Use of the substance/mixture :	Laboratory chemicals

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Company	:	Chemnovo Synthesis Pvt Ltd. N-226 Near Kumbhavali Naka Tarapur MIDC, Boisar-401 506 Palghar, Maharashtra Telephone : +91 7400096089 Email: export@chemnovo.in
---------	---	--

#### 1.4. Emergency telephone number

Emergency number :	+ 91 7400096089 (9:00am - 6:00 pm)
--------------------	------------------------------------

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, Category 1	H271
Acute toxicity (oral), Category 3	H301
Acute toxicity (dermal), Category 3	H311
Acute toxicity (inhal.), Category 2	H330
Skin corrosion/irritation, Category 1A	H314
Respiratory sensitisation, Category 1	H334
Skin sensitisation, Category 1	H317
Germ cell mutagenicity, Category 1B	H340

# MATERIAL SAFETY DATA SHEET (SDS/MSDS)

## CHROMIUM TRIOXIDE 99% AR

CAS-No.: 1333-82-0

Carcinogenicity, Category 1A	H350
Reproductive toxicity, Category 2	H361f
Specific target organ toxicity – Repeated exposure, Category 1	H372
Hazardous to the aquatic environment – Chronic Hazard, Category 1	H410

Full text of H statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Carc.Cat.1; R45

Muta.Cat.2; R46

Repr.Cat.3; R62

O; R9

T+; R26

T; R24/25

T; R48/23

R42

C; R35

R43

N; R50/53

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS03      GHS05      GHS06      GHS08      GHS09

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H271 - May cause fire or explosion; strong oxidiser.  
H301+H311 - Toxic if swallowed or in contact with skin

H314 - Causes severe skin burns and eye damage.  
H317 - May cause an allergic skin reaction.  
H330 - Fatal if inhaled.  
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H340 - May cause genetic defects.  
H350 - May cause cancer.  
H361f - Suspected of damaging fertility.  
H372 - Causes damage to organs through prolonged or repeated exposure.  
H410 - Very toxic to aquatic life with long lasting effects.

P201 - Obtain special instructions before use.  
P220 - Keep away from clothing and other combustible materials.  
P260 - Do not breathe vapours, spray, dust, fume, gas.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves, protective clothing, eye protection, face protection.  
P284 - Wear respiratory protection.

Precautionary statements (CLP) :

### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Name : Chromium Trioxide 99% AR  
CAS No : 1333-82-0  
EC-No. : 215-607-8

Full text of R- and H-statements: see section 16

### 3.2. Mixture

Not applicable

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.  
First-aid measures after inhalation : Get medical advice/attention. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Assure fresh air breathing.  
First-aid measures after skin contact : Get medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of water/....  
First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call

## MATERIAL SAFETY DATA SHEET (SDS/MSDS)

### CHROMIUM TRIOXIDE 99% AR

CAS-No.: 1333-82-0

First-aid measures after ingestion : a POISON CENTER/doctor.  
Rinse mouth. Immediately call a POISON CENTER/doctor. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage. May cause genetic defects. Suspected of damaging fertility. Causes damage to organs through prolonged or repeated exposure.

Symptoms/effects after inhalation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause cancer by inhalation. Fatal if inhaled.

Symptoms/effects after skin contact : Toxic in contact with skin.

Symptoms/effects after ingestion : Toxic if swallowed.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : May cause fire or explosion; strong oxidiser.

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

#### 5.3. Advice for firefighter

Firefighting instructions : In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : No open flames. No smoking

##### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. On land, sweep or shovel into suitable containers.

## MATERIAL SAFETY DATA SHEET (SDS/MSDS)

### CHROMIUM TRIOXIDE 99% AR

CAS-No.: 1333-82-0

#### 6.4. Reference to other sections

No additional information available

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed	:	Hazardous waste due to potential risk of explosion.
Precautions for safe handling	:	Provide good ventilation in process area to prevent formation of vapour. Take precautionary measures against static discharge. Do not breathe vapours. Obtain special instructions before use. Avoid contact with skin and eyes. Eliminate all ignition sources if safe to do so.
Hygiene measures	:	Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures	:	Proper grounding procedures to avoid static electricity should be followed. Comply with applicable regulations.
Storage conditions	:	Keep in fireproof place. Keep container tightly closed.
Incompatible materials	:	Heat sources. combustible materials.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

Personal protective equipment	:	Wear fire/flame resistant/retardant clothing.
Hand protection	:	Protective gloves
Eye protection	:	Chemical goggles or face shield
Skin and body protection	:	Wear suitable protective clothing
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	:	Solid
Molecular mass	:	99.99 g/mol
Colour	:	Reddish brown.
Odour	:	odourless.
Odour threshold	:	No data available
pH	:	No data available
Relative evaporation rate (butylacetate=1)	:	No data available

## MATERIAL SAFETY DATA SHEET (SDS/MSDS)

### CHROMIUM TRIOXIDE 99% AR

CAS-No.: 1333-82-0

Melting point	:	196 °C
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Flammability (solid, gas)	:	No data available
Vapour pressure	:	No data available
Relative vapour density at 20 °C	:	No data available
Relative density	:	No data available
Density	:	2.7 g/cm <sup>3</sup>
Solubility	:	Water: 63 g/100ml @ 20°C
Log Pow	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available
Explosive properties	:	No data available
Oxidising properties	:	The substance or mixture is classified as oxidizing with the subcategory 1. May cause fire or explosion; strong oxidiser.
Explosive limits	:	No data available

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Thermal decomposition generates : Corrosive vapours.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

Heat. Sparks. Open flame.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

No additional information available

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity	:	Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. Inhalation: Fatal if inhaled.
Skin corrosion/irritation	:	Causes severe skin burns and eye damage.
Serious eye damage/irritation	:	Serious eye damage, category 1, implicit

## MATERIAL SAFETY DATA SHEET (SDS/MSDS)

### CHROMIUM TRIOXIDE 99% AR

CAS-No.: 1333-82-0

Respiratory or skin sensitisation	:	May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.
Germ cell mutagenicity	:	May cause genetic defects.
Carcinogenicity	:	May cause cancer.
Reproductive toxicity	:	Suspected of damaging fertility.
STOT-single exposure	:	Not classified
STOT-repeated exposure	:	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	:	Not classified
Potential adverse human health effects and symptoms	:	Toxic if swallowed. Toxic in contact with skin.

#### **SECTION 12: Ecological information**

##### **12.1. Toxicity**

Ecology - water	:	Very toxic to aquatic life with long lasting effects.
-----------------	---	---

##### **12.2. Persistence and degradability**

<b>CHROMIUM TRIOXIDE 99% AR (1333-82-0)</b>	
Persistence and degradability	May cause long-term adverse effects in the environment.

##### **12.3. Bioaccumulative potential**

No additional information available

##### **12.4. Mobility in soil**

No additional information available

##### **12.5. Results of PBT and vPvB assessment**

<b>CHROMIUM TRIOXIDE 99% AR (1333-82-0)</b>	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

##### **12.6. Other adverse effects**

No additional information available

#### **SECTION 13: Disposal considerations**

##### **13.1. Waste treatment methods**

Product/Packaging disposal recommendations	:	Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Additional information	:	Hazardous waste due to potential risk of explosion.
Ecology - waste materials	:	Hazardous waste due to toxicity.

#### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / AND

**MATERIAL SAFETY DATA SHEET (SDS/MSDS)****CHROMIUM TRIOXIDE 99% AR****CAS-No.: 1333-82-0****14.1. UN number**

UN-No. (ADR)	:	1463
UN-No. (IMDG)	:	1463
UN-No.(IATA)	:	1463
UN-No.(AND)	:	Not regulated
UN-No. (RID)	:	Not regulated

**14.2. UN proper shipping name**

Proper Shipping Name (ADR)	:	CHROMIUM TRIOXIDE, ANHYDROUS
Proper Shipping Name (IMDG)	:	CHROMIUM TRIOXIDE, ANHYDROUS
Proper Shipping Name (IATA)	:	CHROMIUM TRIOXIDE, ANHYDROUS
Proper Shipping Name (ADN)	:	Not regulated
Proper Shipping Name (RID)	:	Not regulated
Transport document description (ADR):		UN 1463 CHROMIUM TRIOXIDE, ANHYDROUS, 5.1, II, (E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)		UN 1463 CHROMIUM TRIOXIDE, ANHYDROUS, 5.1 (6.1+8), II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA) :		UN 1463 Chromium trioxide, anhydrous, 5.1, II, ENVIRONMENTALLY HAZARDOUS

**14.3. Transport hazard class(es)**

ADR		
Transport hazard class(es) (ADR)	:	5.1 (6.1, 8)
	:	

**IMDG**


Transport hazard class(es) (IMDG)	:	5.1 (6.1, 8)
Danger labels (IMDG)	:	5.1, 6.1, 8
	:	

**IATA**

Transport hazard class(es) (IATA)	:	5.1 (6.1, 8)
Hazard labels (IATA)	:	5.1, 6.1, 8

**MATERIAL SAFETY DATA SHEET (SDS/MSDS)****CHROMIUM TRIOXIDE 99% AR****CAS-No.: 1333-82-0****Chemnovo**

DRIVEN BY CHEMISTRY, DEFINED BY PRECISION



AND

Transport hazard class(es) (ADN) : Not regulated

RID

Transport hazard class(es) (RID) : Not regulated

**14.4. Packing group**

Packing group (ADR)	:	II
Packing group (IMDG)	:	II
Packing group (IATA)	:	II
Packing group (ADN)	:	Not regulated
Packing group (RID)	:	Not regulated

**14.5. Environmental hazards**

Dangerous for the environment	:	Yes
Marine pollutant	:	Yes
Other information	:	No supplementary information available

**14.6. Special precautions for user**

- Overland transport

Classification code (ADR)	:	OTC
Special provisions (ADR)	:	510
Limited quantities (ADR)	:	1kg
Excepted quantities (ADR)	:	E2
Packing instructions (ADR)	:	P002, IBC08
Special packing provisions (ADR)	:	B4
Mixed packing provisions (ADR)	:	Mp2
Portable tank and bulk container instructions (ADR)	:	T3
Portable tank and bulk container special provisions (ADR)	:	Tp33
Tank code (ADR)	:	SGAN
Tank special provisions (ADR)	:	Tu3
Vehicle for tank carriage	:	AT
Transport category (ADR)	:	2
Special provisions for carriage - Packages (ADR)	:	V11
Special provisions for carriage - Loading, unloading and handling (ADR)	:	CV24, Cv28

# MATERIAL SAFETY DATA SHEET (SDS/MSDS)

## CHROMIUM TRIOXIDE 99% AR

CAS-No.: 1333-82-0

Hazard identification number (Kemler No.)	:	568		
Orange plates	:	<table border="1"><tr><td>568</td></tr><tr><td>1463</td></tr></table>	568	1463
568				
1463				
Tunnel restriction code (ADR)	:	E		
EAC code	:	1W		
- Transport by sea				
Limited quantities (IMDG)	:	1 kg		
Excepted quantities (IMDG)	:	E2		
Packing instructions (IMDG)	:	P002		
Special packing provisions (IMDG)	:	Pp31		
IBC packing instructions (IMDG)	:	IBC08		
IBC special provisions (IMDG)	:	B2, B4		
Tank instructions (IMDG)	:	T3		
Tank special provisions (IMDG)	:	Tp33		
EmS-No. (Fire)	:	F-A		
EmS-No. (Spillage)	:	S-Q		
Stowage category (IMDG)	:	A		
Segregation (IMDG)	:	SG6, SG16, Sg19		
MFAG-No	:	141		
- Air transport				
PCA Excepted quantities (IATA)	:	E2		
PCA Limited quantities (IATA)	:	Y544		
PCA limited quantity max net quantity (IATA)	:	2.5kg		
PCA packing instructions (IATA)	:	558		
PCA max net quantity (IATA)	:	5kg		
CAO packing instructions (IATA)	:	562		
CAO max net quantity (IATA)	:	25kg		
ERG code (IATA)	:	5CP		
- Inland waterway transport				
Not regulated				
- Rail transport				
Not regulated				

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**  
Not applicable

### SECTION 15: Regulatory information

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

## MATERIAL SAFETY DATA SHEET (SDS/MSDS)

### CHROMIUM TRIOXIDE 99% AR

CAS-No.: 1333-82-0

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Chromium trioxide 99% AR is on the REACH Candidate List

Chromium trioxide 99% AR is on the REACH Annex XIV List:

Authorisation number	Sunset date	REACH authorisation exemptions
	21/09/2017	

#### 15.1.2. National regulations

##### Germany

Reference to AwSV : Water hazard class (WGK) 3, severe hazard to water (Classification according to AwSV; ID No. . 328)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

##### Netherlands

SZW-lijst van kankerverwekkende stoffen : Chromium Trioxide 99% AR is listed

SZW-lijst van mutagene stoffen : Chromium Trioxide 99% AR is listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : Chromium Trioxide 99% AR is listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : Chromium Trioxide 99% AR is listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : Chromium Trioxide 99% AR is listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : Chromium Trioxide 99% AR is listed

##### Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

#### 15.2. Chemical safety assessment

No additional information available

#### SECTION 16: Other information

Full text of R-, H- and EUH-statements:

Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Carc. 1A	Carcinogenicity, Category 1A
Muta. 1B	Germ cell mutagenicity, Category 1B

**MATERIAL SAFETY DATA SHEET (SDS/MSDS)****CHROMIUM TRIOXIDE 99% AR****CAS-No.: 1333-82-0**

Ox. Sol. 1	Oxidising Solids, Category 1
Repr. 2	Reproductive toxicity, Category 2
Resp. Sens. 1	Respiratory sensitisation, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
H271	May cause fire or explosion; strong oxidiser.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H340	May cause genetic defects.
H350	May cause cancer.
H361f	Suspected of damaging fertility.
H372	Causes damage to organs through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.
R24/25	Toxic in contact with skin and if swallowed
R26	Very toxic by inhalation
R35	Causes severe burns
R42	May cause sensitization by inhalation
R43	May cause sensitisation by skin contact
R45	May cause cancer
R46	May cause heritable genetic damage
R48/23	Toxic: danger of serious damage to health by prolonged exposure through inhalation
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R62	Possible risk of impaired fertility
R9	Explosive when mixed with combustible material
C	Corrosive
N	Dangerous for the environment
O	Oxidising

**MATERIAL SAFETY DATA SHEET (SDS/MSDS)****CHROMIUM TRIOXIDE 99% AR****CAS-No.: 1333-82-0**

---

T	Toxic
T+	Very toxic

**Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Chemnovo Synthesis Pvt Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.chemnovo.in](http://www.chemnovo.in) for additional terms and conditions of sale.

Version: 2.0  
Revision Date: 10 February 2026