

CERTIFICATE OF ANALYSIS

Product Name	ACETYL CHLORIDE 98% AR		
CAS No.	75-36-5	Code No.	00044
Batch No.	CS04250107	Date of Analysis	26/04/2025
Mfg. Date	Apr-2025	Mol.Weight (g/mol)	78.50
Expiry Date	Mar-2030	Mol. Formula	CH ₃ COCl

Sr.	TESTS	SPECIFICATIONS	RESULTS
1	Appearance	A clear colorless liquid	A clear colorless liquid
2	Assay	98 - 102%	98.84%
3	Weight/ mL at 20°C	About 1.10 g/ml	1.1003 g/ml
4	Non-volatile matter	Max 0.05%	0.023%
5	Phosphorous compounds (P)	Max 0.005%	0.004%
6	Sulphate (SO ₄)	Max 0.01%	0.002%

Remark: This product complies as per the specifications of Chemnovo.

This is an electronically generated certificate and is valid without a signature.

Corporate Office: 403, Cosmos Plaza,
D.N Nagar Metro Station, Andheri
West, Mumbai-53
Unit 1: Plot No. F4/12 Tata Steel Road,
Tarapur MIDC Boisar-401504
Unit 2: N-226 Near Kumbhavali Naka,
Tarapur MIDC, Boisar 401506

For issues relating to quality you
may send us a mail on
sales@chemnovo.in

Website: www.chemnovo.in
Contact: +91 9136093115