

CERTIFICATE OF ANALYSIS

Product Name	AGAROSE FOR ELECTROPHORESIS (H) (HIGH EEO)		
CAS No.	9012-36-6	Code No.	00082
Batch No.	CS04240127	Date of Analysis	17/04/2025
Mfg. Date	Apr-2024	Mol.Weight (g/mol)	NA
Expiry Date	Mar-2029	Mol. Formula	NA

Sr.	TESTS	SPECIFICATIONS	RESULTS
1	Appearance	White to off white powder	white powder
2	Moisture content	Max 10.0%	7.62%
3	EEO	0.23 - 0.26	0.25
4	Sulphate (SO ₄)	Max 0.2%	0.06%
5	Sulphated ash (at 800°C)	Max 1.0%	0.60%
6	Gelling temperature	34.5 - 37.5°C	35.4°C

Remark: This product complies as per the specifications of Chemnovo.

This is an electronically generated certificate and is valid without a signature.

Corporate Office: 403, Cosmos Plaza,
D.N Nagar Metro Station, Andheri
West, Mumbai-53
Unit 1: Plot No. F4/12 Tata Steel Road,
Tarapur MIDC Boisar-401504
Unit 2: N-226 Near Kumbhavali Naka,
Tarapur MIDC, Boisar 401506

For issues relating to quality you
may send us a mail on
sales@chemnovo.in

Website: www.chemnovo.in
Contact: +91 9136093115