

CERTIFICATE OF ANALYSIS

Product Name	AGAROSE FOR ELECTROPHORESIS (L) (LOW EEO)		
CAS No.	9012-36-6	Code No.	00083
Batch No.	CS09241563	Date of Analysis	12/09/2024
Mfg. Date	Sep-2024	Mol.Weight (g/mol)	NA
Expiry Date	Aug-2029	Mol. Formula	NA

Sr.	TESTS	SPECIFICATIONS	RESULTS
1	Appearance	White to off white crystalline powder	Off white crystalline powder
2	EEO	0.05 - 0.13	0.08
3	Gel point	34.5 - 37.5 °C	34.8 °C
4	Sulphate (SO ₄)	Max 0.3%	0.04%
5	Ash content	Max 1%	0.94%
6	Moisture content	Max 10%	9.15%

Remark: This product complies as per the specifications of Chemnovo.

This is an electronically generated certificate and is valid without a signature.

Corporate Office: 403, Cosmos Plaza,
D.N Nagar Metro Station, Andheri
West, Mumbai-53
Unit 1: Plot No. F4/12 Tata Steel Road,
Tarapur MIDC Boisar-401504
Unit 2: N-226 Near Kumbhavali Naka,
Tarapur MIDC, Boisar 401506

For issues relating to quality you
may send us a mail on
sales@chemnovo.in

Website: www.chemnovo.in
Contact: +91 9136093115