

CERTIFICATE OF ANALYSIS

Product Name	ALCIAN BLUE SOLUTION FOR MICROBIOLOGY		
CAS No.	NA	Code No.	00096
Batch No.	CS08240162	Date of Analysis	26/08/2025
Mfg. Date	Aug-2024	Mol.Weight (g/mol)	NA
Expiry Date	July-2029	Mol. Formula	NA

Sr.	TESTS	SPECIFICATIONS	RESULTS
1	Appearance	Bluish black solution	Bluish black solution
2	Absorption maxima in water	615 nm \pm 5nm	616 nm
3	pH (at 25 °C)	about 2.5	2.5
4	Suitability (for microscopy)	Passes test	Passes

Remark: This product complies as per the specifications of Chemnovo.

This is an electronically generated certificate and is valid without a signature.

Corporate Office: 403, Cosmos Plaza,
D.N Nagar Metro Station, Andheri
West, Mumbai-53
Unit 1: Plot No. F4/12 Tata Steel Road,
Tarapur MIDC Boisar-401504
Unit 2: N-226 Near Kumbhavali Naka,
Tarapur MIDC, Boisar 401506

For issues relating to quality you
may send us a mail on
sales@chemnovo.in
Website: www.chemnovo.in
Contact: +91 9136093115