

**CERTIFICATE OF ANALYSIS**

<b>Product Name</b>	<b>AURAMIN FOR MICROSCOPY</b>		
CAS No.	2465-27-2	Code No.	00313
Batch No.	CS09231510	Date of Analysis	18/09/2023
Mfg. Date	Sep-2023	Mol.Weight (g/mol)	303.83
Expiry Date	Aug-2028	Mol. Formula	C17H22N3Cl

Sr.	TESTS	SPECIFICATIONS	RESULTS
1	Appearance	Yellow colored powder	Yellow colored powder
2	Absorption maxima	429 - 433 nm	433.3 nm
3	Absorptivity (A 1%/1cm; at lmax; pH 6.0; on dried substances)	Min 900	1037.88
4	Loss on drying (at 105°C)	Max 10%	1.29%
5	Suitability (for microscopy)	Passes test	Passes

Remark: This product complies as per the specifications of Chemnovo.

**This is an electronically generated certificate and is valid without a signature.**

Corporate Office: 403, Cosmos Plaza,  
D.N Nagar Metro Station, Andheri  
West, Mumbai-53  
Unit 1: Plot No. F4/12 Tata Steel Road,  
Tarapur MIDC Boisar-401504  
Unit 2: N-226 Near Kumbhavali Naka,  
Tarapur MIDC, Boisar 401506

For issues relating to quality you  
may send us a mail on  
sales@chemnovo.in

Website: [www.chemnovo.in](http://www.chemnovo.in)  
Contact: +91 9136093115