

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

ACETONE 99% FOR SYNTHESIS

CAS-No.: 67-64-1

Product Code: 00027

Molecular Formula: C₃H₆O

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

ACETONE 99% FOR SYNTHESIS

CAS-No.: 67-64-1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| | | |
|--------------|---|-----------------------------|
| Product form | : | Substance |
| Trade name | : | Acetone 99% For Synthesis |
| EC-No. | : | 200-662-2 |
| CAS No | : | 67-64-1 |
| Synonyms | : | Propanone / Dimethyl ketone |

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Industrial;For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Company : Chemnovo Synthesis Pvt Ltd.
N-226 Near Kumbhavali Naka
Tarapur MIDC, Boisar-401 506
Palghar, Maharashtra
Telephone : +91 7400096089
Email: export@chemnovo.in

1.4. Emergency telephone number

Emergency number : + 91 7400096089 (9:00am – 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H225

Category 2

Serious eye damage/eye H319

irritation, Category 2

Specific target organ H336

toxicity – Single

exposure, Category 3,

Narcosis

Full text of H statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F; R11

Xi; R36

R66

R67

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

ACETONE 99% FOR SYNTHESIS

CAS-No.: 67-64-1

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H225 - Highly flammable liquid and vapour.

H319 - Causes serious eye irritation.

H336 - May cause drowsiness or dizziness.

Precautionary statements (CLP) :

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : Acetone 99% For Synthesis

CAS-No. : 67-64-1

EC-No. : 200-662-2

Full text of R- and H-statements: see section 16

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. Call a POISON

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

ACETONE 99% FOR SYNTHESIS

CAS-No.: 67-64-1

| | |
|---|--|
| First-aid measures after skin contact : | CENTER/doctor if you feel unwell. Rinse skin with water/shower. Take off immediately all contaminated clothing. Repeated exposure may cause skin dryness or cracking. |
| First-aid measures after eye contact : | Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention. |
| First-aid measures after ingestion : | Rinse mouth out with water. If you feel unwell, seek medical advice. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|--------------------------------------|------------------------------------|
| Symptoms/effects after inhalation : | May cause drowsiness or dizziness. |
| Symptoms/effects after eye contact : | Causes serious eye irritation. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|----------------------------------|--|
| Suitable extinguishing media : | dry chemical powder, alcohol-resistant foam, carbon dioxide (Co2). |
| Unsuitable extinguishing media : | Do not use a heavy water stream. |

5.2. Special hazards arising from the substance or mixture

| | |
|--------------------|--|
| Fire hazard : | Highly flammable liquid and vapour. |
| Explosion hazard : | May form flammable/explosive vapour-air mixture. |

5.3. Advice for firefighter

| | |
|----------------------------------|---|
| Protection during firefighting : | Do not enter fire area without proper protective equipment, |
|----------------------------------|---|

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| | |
|--------------------|---|
| General measures : | Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. |
|--------------------|---|

6.1.1. For non-emergency personnel

| | |
|------------------------|---------------------------------|
| Emergency procedures : | Evacuate unnecessary personnel. |
|------------------------|---------------------------------|

6.1.2. For emergency responders

| | |
|------------------------|---|
| Protective equipment : | Avoid breathing dust/fume/gas/mist/vapours/spray. |
|------------------------|---|

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

| | |
|---------------------------|--|
| Methods for cleaning up : | Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. |
|---------------------------|--|

6.4. Reference to other sections

No additional information available

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

ACETONE 99% FOR SYNTHESIS

CAS-No.: 67-64-1

SECTION 7: Handling and storage

7.1. Precautions for safe handling

| | | |
|-----------------------------------|---|--|
| Additional hazards when processed | : | Handle empty containers with care because residual vapours are flammable. |
| Precautions for safe handling | : | No open flames. No smoking. Use only non-sparking tools. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. |
| Hygiene measures | : | Wash hands, forearms and face thoroughly after handling. |

7.2. Conditions for safe storage, including any incompatibilities

| | | |
|------------------------|---|--|
| Technical measures | : | Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. |
| Storage conditions | : | Keep container tightly closed. Keep in fireproof place. Store in original container. Store in a well-ventilated place. |
| Incompatible materials | : | Heat sources. |

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

| | | |
|--------------------------|---|------------------------------------|
| Hand protection | : | protective gloves |
| Eye protection | : | Chemical goggles or safety glasses |
| Skin and body protection | : | Wear suitable protective clothing |
| Respiratory protection | : | wear respiratory protection. |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | | |
|---|---|----------------------|
| Physical state | : | Liquid |
| Molecular mass | : | 58.08 g/mol |
| Colour | : | Clear Colorles. |
| Odour | : | fragrant, mint-like. |
| Odour threshold | : | 62 ppm |
| pH: | : | No data available |
| Relative evaporation rate (butylacetate=1) | : | No data available |
| Melting point | : | -95.35 °C |
| Freezing point | : | No data available |
| Boiling point | : | 56.2 °C |
| Flash point | : | -20 °C |
| Critical temperature | : | 235 °C |
| Auto-ignition temperature | : | 4650 °C |

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

ACETONE 99% FOR SYNTHESIS

CAS-No.: 67-64-1

| | | |
|----------------------------------|---|--|
| Decomposition temperature | : | No data available |
| Flammability (solid, gas) | : | Extremely flammable Highly flammable liquid and vapour. |
| Vapour pressure | : | 24 kPa |
| Relative vapour density at 20 °C | : | 2 |
| Relative density | : | No data available |
| Density | : | 0.79 g/cm ³ |
| Relative gas density | : | 2 |
| Solubility | : | Water: Complete |
| Log Pow | : | No data available |
| Viscosity, kinematic | : | No data available |
| Viscosity, dynamic | : | No data available |
| Explosive properties | : | No data available |
| Oxidising properties | : | No data available |
| Explosive limits | : | No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Open flame. Direct sunlight.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | | |
|-----------------------------------|---|---|
| Acute toxicity | : | Not classified. |
| Skin corrosion/irritation | : | Not classified |
| Additional information | : | Repeated exposure may cause skin dryness or cracking. |
| Serious eye damage/irritation | : | Causes serious eye irritation |
| Respiratory or skin sensitisation | : | Not classified |
| Germ cell mutagenicity | : | Not classified |
| Carcinogenicity | : | Not classified |

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

ACETONE 99% FOR SYNTHESIS

CAS-No.: 67-64-1

| | | |
|------------------------|---|------------------------------------|
| Reproductive toxicity | : | Not classified |
| STOT-single exposure | : | May cause drowsiness or dizziness. |
| STOT-repeated exposure | : | Not classified |
| Aspiration hazard | : | Not classified |

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

| | | |
|--|---|---|
| Product/Packaging disposal recommendations | : | Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. |
| Additional information | : | Handle empty containers with care because residual vapours are flammable. |

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / AND

14.1. UN number

| | | |
|---------------|---|------|
| UN-No. (ADR) | : | 1090 |
| UN-No. (IMDG) | : | 1090 |
| UN-No.(IATA) | : | 1090 |
| UN-No.(AND) | : | 1090 |
| UN-No. (RID) | : | 1090 |

14.2. UN proper shipping name

| | | |
|--|---|-------------------------------|
| Proper Shipping Name (ADR) | : | ACETONE |
| Proper Shipping Name (IMDG) | : | ACETONE |
| Proper Shipping Name (IATA) | : | ACETONE |
| Proper Shipping Name (ADN) | : | ACETONE |
| Proper Shipping Name (RID) | : | ACETONE |
| Transport document description (ADR) : | | UN 1090 ACETONE, 3, II, (D/E) |

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

ACETONE 99% FOR SYNTHESIS

CAS-No.: 67-64-1

| | |
|---|-------------------------------------|
| Transport document description (IMDG) : | UN 1090 ACETONE, 3, II (-20°C c.c.) |
| Transport document description (IATA) : | UN 1090 ACETONE, 3, II |
| Transport document description (ADN) : | UN 1090 ACETONE, 3, II |
| Transport document description (RID) : | UN 1090 ACETONE, 3, II |

14.3. Transport hazard class(es)

ADR

| | |
|------------------------------------|---|
| Transport hazard class(es) (ADR) : | 3 |
| Danger labels (ADR) : | 3 |
| : | |



IMDG

| | |
|-------------------------------------|---|
| Transport hazard class(es) (IMDG) : | 3 |
| Danger labels (IMDG) : | 3 |
| : | |



IATA

| | |
|-------------------------------------|---|
| Transport hazard class(es) (IATA) : | 3 |
| Hazard labels (IATA) : | 3 |
| : | |



AND

| | |
|------------------------------------|---|
| Transport hazard class(es) (ADN) : | 3 |
| Danger labels (AND) : | 3 |

MATERIAL SAFETY DATA SHEET (SDS/MSDS)**ACETONE 99% FOR SYNTHESIS****CAS-No.: 67-64-1**

RID

Transport hazard class(es) (RID) : 3

Danger labels (RID) : 3

**14.4. Packing group**

Packing group (ADR) : II

Packing group (IMDG) : II

Packing group (IATA) : II

Packing group (ADN) : II

Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : F1

Limited quantities (ADR) : 1l

Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02, R001

Mixed packing provisions (ADR) : Mp19

Portable tank and bulk container : T4

instructions (ADR)

Portable tank and bulk container special

provisions (ADR) : Tp1

Tank code (ADR) : LGBF

Vehicle for tank carriage : FL

Transport category (ADR) : 2

MATERIAL SAFETY DATA SHEET (SDS/MSDS)**ACETONE 99% FOR SYNTHESIS****CAS-No.: 67-64-1**

Special provisions for carriage - Operation

| | | | | |
|---|---|--|-----------|-------------|
| (ADR) | : | S2, S20 | | |
| Hazard identification number (Kemler No.) | : | 33 | | |
| Orange plates | : | <table border="1"><tr><td>33</td></tr><tr><td>1090</td></tr></table> | 33 | 1090 |
| 33 | | | | |
| 1090 | | | | |
| Tunnel restriction code (ADR) | : | D/E | | |
| EAC code | : | •2YE | | |
| - Transport by sea | | | | |
| Special provisions (IMDG) | : | 223 | | |
| Limited quantities (IMDG) | : | 5 L | | |
| Excepted quantities (IMDG) | : | E1 | | |
| Packing instructions (IMDG) | : | P001, Lp01 | | |
| IBC packing instructions (IMDG) | : | IBC03 | | |
| Tank instructions (IMDG) | : | T2 | | |
| Tank special provisions (IMDG) | : | Tp1 | | |
| EmS-No. (Fire) | : | F-E | | |
| EmS-No. (Spillage) | : | S-D | | |
| Stowage category (IMDG) | : | E | | |
| Flash point (IMDG) | : | -20°C to -18°C c.c. | | |
| MFAG-No | : | 127 | | |
| - Air transport | | | | |
| PCA Excepted quantities (IATA) | : | E2 | | |
| PCA Limited quantities (IATA) | : | Y341 | | |
| PCA limited quantity max net quantity (IATA) | : | 1L | | |
| PCA packing instructions (IATA) | : | 353 | | |
| PCA max net quantity (IATA) | : | 5L | | |
| CAO packing instructions (IATA) | : | 364 | | |
| CAO max net quantity (IATA) | : | 60L | | |
| ERG code (IATA) | : | 3H | | |
| - Inland waterway transport | | | | |
| Classification code (ADN) | : | F1 | | |
| Limited quantities (ADN) | : | 1 L | | |
| Excepted quantities (ADN) | : | E2 | | |
| Carriage permitted (AND) | : | T | | |
| Equipment required (ADN) | : | PP, EX, A | | |
| Ventilation (ADN) | : | Ve01 | | |
| Number of blue cones/lights (ADN) | : | 1 | | |
| - Rail transport | | | | |

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

ACETONE 99% FOR SYNTHESIS

CAS-No.: 67-64-1

| | | |
|---|---|-------------------|
| Classification code (RID) | : | F1 |
| Limited quantities (RID) | : | 1L |
| Excepted quantities (RID) | : | E2 |
| Packing instructions (RID) | : | P001, IBC02, R001 |
| Mixed packing provisions (RID) | : | Mp19 |
| Portable tank and bulk container instructions (RID) | : | T4 |
| Portable tank and bulk container special provisions (RID) | : | Tp1 |
| Tank codes for RID tanks (RID) | : | LGBF |
| Transport category (RID) | : | 2 |
| Colis express (express parcels) (RID) | : | Ce7 |
| Hazard identification number (RID) | : | 33 |

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Acetone 99% For Synthesis is not on the REACH Candidate List

Acetone 99% For Synthesis is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 1, Slightly hazardous to water (Classification according to AwSV; ID No. 6)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen - Borstvoeding : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen - Vruchtbaarheid : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen - Ontwikkeling : The substance is not listed

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

ACETONE 99% FOR SYNTHESIS

CAS-No.: 67-64-1

Denmark

- Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed
- Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

| | |
|--------------|--|
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Flam. Liq. 2 | Flammable liquids, Category 2 |
| STOT SE 3 | Specific target organ toxicity – Single exposure, Category 3, Narcosis |
| H225 | Highly flammable liquid and vapour. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |
| R11 | Highly flammable |
| R36 | Irritating to eyes |
| R66 | Repeated exposure may cause skin dryness or cracking |
| R67 | Vapours may cause drowsiness and dizziness |
| F | Highly flammable |
| Xi | Irritant |

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Chemnovo Synthesis Pvt Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.chemnovo.in for additional terms and conditions of sale.

Version: 2.0
Revision Date: 01 December 2025