

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

BALSAM CANADA SYNTHETIC

CAS-No.: 8007-47-4

Product Code: 00325

Chemnovo
DRIVEN BY CHEMISTRY, DEFINED BY PRECISION

CHEMNOVO SYNTHESIS PVT LTD.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

BALSAM CANADA SYNTHETIC

CAS-No.: 8007-47-4

Chemnovo
DRIVEN BY CHEMISTRY, DEFINED BY PRECISION

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Balsam Canada Synthetic
CAS-No. : 8007-47-4

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Company : Chemnovo Synthesis Pvt Ltd.
N-226 Near Kumbhavali Naka
Tarapur MIDC, Boisar-401 506
Palghar, Maharashtra
Telephone : +91 7400096089
Email: export@chemnovo.in

1.4. Emergency telephone number

Emergency number : + 91 7400096089 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids,	H226
Category 3	
Acute toxicity (dermal),	H312
Category 4	
Acute toxicity (inhal.),	H332
Category 4	
Skin corrosion/irritation,	H315
Category 2	

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

Signal word (CLP)	:	Warning
Hazard statements (CLP)	:	H226 - Flammable liquid and vapour. H312+H332 - Harmful in contact with skin or if inhaled H315 - Causes skin irritation.
Precautionary statements (CLP)	:	P280 - Wear protective gloves, protective clothing, eye protection, face protection.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No.1272/2008 [CLP]
Xylene	(CAS-No.) 1330-20-7 (EC-No.) 215-535-7	65 - 75	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 STOT SE 3, H335
Polystyrene		25 - 30	Not classified
Dibutyl phthalate substance listed in REACH Annex XIV	(CAS-No.) 84-74-2 (EC-No.) 201-557-4	5 - 7	Repr. 1B, H360D Repr. 2, H361f Aquatic Acute 1, H400

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	:	IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	:	Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact	:	Wash with plenty of water/.... Wash contaminated clothing before reuse. Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Suspected of damaging fertility. May damage the unborn child.

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Harmful in contact with skin. Causes skin irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media**

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

Explosion hazard : Heating may cause a fire or explosion.

5.3. Advice for firefighter

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****6.1.1. For non-emergency personnel**

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Collect spillage.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Precautions for safe handling : Obtain special instructions before use. Keep away from sources of ignition - No smoking. Avoid contact with skin and eyes. Use only outdoors or in a well-ventilated area. Do not breathe vapours.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed. Keep in fireproof place.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

No additional information available

8.2. Exposure controls

Hand protection	:	Protective gloves
Eye protection	:	Chemical goggles or face shield
Skin and body protection	:	Wear suitable protective clothing
Respiratory protection	:	Wear respiratory protection.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state	:	Liquid
Colour	:	Clear Colorless.
Odour	:	No data available
Odour threshold	:	No data available
pH	:	No data available
Relative evaporation rate (butylacetate=1)	:	No data available
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	62 °C
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Flammability (solid, gas)	:	Flammable liquid and vapour.
Vapour pressure	:	No data available
Relative vapour density at 20 °C	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility	:	No data available
Log Pow	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available
Explosive properties	:	No data available
Oxidising properties	:	No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity**10.1. Reactivity**

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Open flame. Heat. Sparks.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

May release flammable gases.

SECTION 11: Toxicological information**11.1. Information on toxicological effects**

Acute toxicity : Harmful in contact with skin. Harmful if inhaled.

ATE CLP (dermal)	1100 mg/kg bodyweight
ATE CLP (gases)	4500 ppmv/4h
ATE CLP (vapours)	11 mg/l/4h
ATE CLP (dust,mist)	1.5 mg/l/4h

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Potential adverse human health effects and symptoms : Harmful in contact with skin.

SECTION 12: Ecological information**12.1. Toxicity**

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / AND

14.1. UN number

UN-No. (ADR)	:	1307
UN-No. (IMDG)	:	1307
UN-No. (IATA)	:	1307
UN-No. (ADN)	:	1307
UN-No. (RID)	:	1307

14.2. UN proper shipping name

Proper Shipping Name (ADR)	:	XYLENES
Proper Shipping Name (IMDG)	:	XYLENES
Proper Shipping Name (IATA)	:	XYLENES
Proper Shipping Name (ADN)	:	XYLENES
Proper Shipping Name (RID)	:	XYLENES
Transport document description (ADR)	:	UN 1307 XYLENES, 3, III, (D/E)
Transport document description (IMDG)	:	UN 1307 XYLENES, 3, III (23°C c.c.)
Transport document description (IATA)	:	UN 1307 XYLENES, 3, III
Transport document description (ADN)	:	UN 1307 XYLENES, 3, III
Transport document description (RID)	:	UN 1307 XYLENES, 3, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	:	3
Danger labels (ADR)	:	3

:



IMDG

Transport hazard class(es) (IMDG) : 3

Danger labels (IMDG) : 3

:



IATA

Transport hazard class(es) (IATA) : 3

Hazard labels (IATA) : 3

:



AND

Transport hazard class(es) (ADN) : 3

Danger labels (AND) : 3

:



MATERIAL SAFETY DATA SHEET (SDS/MSDS)**BALSAM CANADA SYNTHETIC****CAS-No.: 8007-47-4****Chemnovo**
DRIVEN BY CHEMISTRY, DEFINED BY PRECISION

RID

Transport hazard class(es) (RID) : 3

Danger labels (RID) : 3

:

**14.4. Packing group**

Packing group (ADR) : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : III

Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : F1

Limited quantities (ADR) : 5I

Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : Mp19

Portable tank and bulk container

instructions (ADR) : T2

Portable tank and bulk container special

provisions (ADR) : Tp1

Tank code (ADR) : LGBF

Vehicle for tank carriage : FL

Transport category (ADR) : 3

Special provisions for carriage - Packages

(ADR) : V12

Special provisions for carriage - Operation

(ADR) : S2

Hazard identification number

(Kemler No.) : 30

Orange plates :

30
1307

Tunnel restriction code (ADR)	:	D/E
EAC code	:	3YE
- Transport by sea		
Special provisions (IMDG)	:	223
Limited quantities (IMDG)	:	5 L
Excepted quantities (IMDG)	:	E1
Packing instructions (IMDG)	:	P001, Lp01
IBC packing instructions (IMDG)	:	IBC03
Tank instructions (IMDG)	:	T2
Tank special provisions (IMDG)	:	Tp1
EmS-No. (Fire)	:	F-E
EmS-No. (Spillage)	:	S-D
Stowage category (IMDG)	:	A
Flash point (IMDG)	:	23°C to 30°C c.c.
MFAG-No	:	130
- Air transport		
PCA Excepted quantities (IATA)	:	E1
PCA Limited quantities (IATA)	:	Y344
PCA limited quantity max net quantity : (IATA)		10L
PCA packing instructions (IATA)	:	355
PCA max net quantity (IATA)	:	60L
CAO packing instructions (IATA)	:	366
CAO max net quantity (IATA)	:	220L
Special provisions (IATA)	:	A3
ERG code (IATA)	:	3L
- Inland waterway transport		
Classification code (ADN)	:	F1
Limited quantities (ADN)	:	5 L
Excepted quantities (ADN)	:	E1
Carriage permitted (ADN)	:	T
Equipment required (ADN)	:	PP, EX, A
Ventilation (ADN)	:	Ve01
Number of blue cones/lights (ADN)	:	0
- Rail transport		
Classification code (RID)	:	F1
Limited quantities (RID)	:	5L
Excepted quantities (RID)	:	E1

MATERIAL SAFETY DATA SHEET (SDS/MSDS)**BALSAM CANADA SYNTHETIC****CAS-No.: 8007-47-4**


DRIVEN BY CHEMISTRY, DEFINED BY PRECISION

Packing instructions (RID)	:	P001, IBC03, LP01, R001
Mixed packing provisions (RID)	:	Mp19
Portable tank and bulk container instructions (RID)	:	T2
Portable tank and bulk container special provisions (RID)	:	Tp1
Tank codes for RID tanks (RID)	:	LGBF
Transport category (RID)	:	3
Special provisions for carriage – Packages (RID)	:	W12
Colis express (express parcels) (RID)	:	Ce4
Hazard identification number (RID)	:	30

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****15.1.1. EU-Regulations**

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Substance name	Authorisation number	Sunset date	REACH authorisation
Dibutyl phthalate (DBP) (EC201-557-4, CAS 84-74-2)		21/01/2015	

15.1.2. National regulations**Germany**

Reference to AwSV : Water hazard class (WGK) 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

12th Ordinance Implementing the Federal Immission Control Act – 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen

None of the components are listed

SZW-lijst van mutagene stoffen

None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding

None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid

Dibutyl phthalate is listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling

Xylene, Dibutyl phthalate are listed

Denmark

Class for fire hazard : Class III-1

Store unit	:	50 liter
Classification remarks	:	Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed
Recommendations Danish Regulation :		Young people below the age of 18 years are not allowed to use the product
		Pregnant/breastfeeding women working with the product must not be in direct contact with the product
		The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Flam. Liq. 3	Flammable liquids, Category 3
Repr. 1B	Reproductive toxicity, Category 1B
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H226	Flammable liquid and vapour.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H360D	May damage the unborn child.
H361f	Suspected of damaging fertility.
H400	Very toxic to aquatic life.

MATERIAL SAFETY DATA SHEET (SDS/MSDS)**BALSAM CANADA SYNTHETIC****CAS-No.: 8007-47-4****Chemnovo**
DRIVEN BY CHEMISTRY, DEFINED BY PRECISION**Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Chemnovo Synthesis Pvt Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.chemnovo.in for additional terms and conditions of sale.

Version: 2.0

Revision Date: 12 December 2025