

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

**m-CHLOROPERBENZOIC ACID 65-77%
EXTRA PURE**

CAS-No.: 937-14-4

Product Code: 00778

Molecular Formula : C_7H_5ClO

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
m-CHLOROPERBENZOIC ACID 65-77% EXTRA
PURE

CAS-No.: 937-14-4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	:	Substance
Trade name	:	m-Chloroperbenzoic 65-77% Extra Pure
CAS-No.	:	937-14-4
Synonyms	:	3-Chloroperoxybenzoic acid, MCPBA

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Company	:	Chemnovo Synthesis Pvt Ltd. N-226 Near Kumbhavali Naka Tarapur MIDC, Boisar-401 506 Palghar, Maharashtra Telephone : +91 7400096089 Email: export@chemnovo.in
---------	---	--

1.4. Emergency telephone number

Emergency number : + 91 7400096089 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Self-Reactive Substances and Mixtures, Type C	H242
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	H335

Full text of H statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]
O; R8

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

m-CHLOROPERBENZOIC ACID 65-77% EXTRA PURE

CAS-No.: 937-14-4

Xi; R36

Xi; R37

Xi; R38

R43

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H242 - Heating may cause a fire.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H335 - May cause respiratory irritation.

Precautionary statements (CLP) :

P220 - Keep/Store away from clothing and other combustible materials.

P261 - Avoid breathing vapours, spray, dust, fume, gas.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P411 - Store at temperatures not exceeding ...°C/...°F.

P410 - Protect from sunlight.

P235 - Keep cool.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : m-Chloroperbenzoic Acid 65-77% Extra Pure

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
m-CHLOROPERBENZOIC ACID 65-77% EXTRA
PURE

CAS-No.: 937-14-4

CAS No : 937-14-4

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Assure fresh air breathing. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : Wash with plenty of water/.... Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes eye irritation.

Symptoms/effects after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighter

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
m-CHLOROPERBENZOIC ACID 65-77% EXTRA
PURE

CAS-No.: 937-14-4

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Do not breathe vapours. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container tightly closed.

Storage temperature : 2 - 8 °C

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : Protective gloves
Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : [In case of inadequate ventilation] wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Molecular mass : 172.57 g/mol
Colour : white.
Odour : No data available
Odour threshold : No data available
pH : No data available
Relative evaporation rate (butylacetate=1) : No data available
Melting point : 69 - 71 °C
Freezing point : No data available
Boiling point : No data available
Flash point : No data available

MATERIAL SAFETY DATA SHEET (SDS/MSDS)

m-CHLOROPERBENZOIC ACID 65-77% EXTRA PURE

CAS-No.: 937-14-4

Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Flammability (solid, gas)	:	No data available
Vapour pressure	:	No data available
Relative vapour density at 20 °C	:	No data available
Relative density	:	No data available
Solubility	:	Water: Insoluble
Log Pow	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available
Explosive properties	:	No data available
Oxidising properties	:	No data available
Explosive limits	:	No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Moisture. Air contact. Direct sunlight.

10.5. Incompatible materials

Oxidizing agent.

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	:	Not classified
Skin corrosion/irritation	:	Causes skin irritation.
Serious eye damage/irritation	:	Causes serious eye irritation.
Respiratory or skin sensitisation	:	May cause an allergic skin reaction.
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Not classified
Reproductive toxicity	:	Not classified
STOT-single exposure	:	May cause respiratory irritation.
STOT-repeated exposure	:	Not classified

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
m-CHLOROPERBENZOIC ACID 65-77% EXTRA
PURE

CAS-No.: 937-14-4

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA /AND

14.1. UN number

UN-No. (ADR)	:	3106
UN-No. (IMDG)	:	3106
UN-No. (IATA)	:	3106
UN-No. (ADN)	:	3106
UN-No. (RID)	:	3106

14.2. UN proper shipping name

Proper Shipping Name (ADR)	:	ORGANIC PEROXIDE TYPE D, SOLID
Proper Shipping Name (IMDG)	:	ORGANIC PEROXIDE TYPE D, SOLID
Proper Shipping Name (IATA)	:	ORGANIC PEROXIDE TYPE D, SOLID
Proper Shipping Name (ADN)	:	ORGANIC PEROXIDE TYPE D, SOLID
Proper Shipping Name (RID)	:	ORGANIC PEROXIDE TYPE D, SOLID
Transport document description (ADR)	:	UN 3106 ORGANIC PEROXIDE TYPE D, SOLID, 5.2, (D)
Transport document description (IMDG)	:	UN 3106 ORGANIC PEROXIDE TYPE D, SOLID, 5.2
Transport document description (IATA)	:	UN 3106 ORGANIC PEROXIDE TYPE D, SOLID, 5.2
Transport document description (ADN)	:	UN 3106 ORGANIC PEROXIDE TYPE D, SOLID, 5.2
Transport document description (RID)	:	UN 3106 ORGANIC PEROXIDE TYPE D, SOLID, 5.2

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
m-CHLOROPERBENZOIC ACID 65-77% EXTRA
PURE

CAS-No.: 937-14-4

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 5.2
Danger labels (ADR) : 5.2
:



IMDG

Transport hazard class(es) (IMDG) : 5.2
Danger labels (IMDG) : 5.2
:



IATA

Transport hazard class(es) (IATA) : 5.2
Hazard labels (IATA) : 5.2
:



AND

Transport hazard class(es) (ADN) : 5.2
Danger labels (ADN) : 5.2

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
m-CHLOROPERBENZOIC ACID 65-77% EXTRA
PURE

CAS-No.: 937-14-4



RID

Transport hazard class(es) (RID) : 5.2

Danger labels (RID) : 5.2

:



14.4. Packing group

Packing group (ADR) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

Packing group (ADN) : Not applicable

Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : P1

Special provisions (ADR) : 122, 274

Limited quantities (ADR) : 500g

Excepted quantities (ADR) : E0

Packing instructions (ADR) : P520

Mixed packing provisions (ADR) : Mp4

Transport category (ADR) : 2

Special provisions for carriage - Packages (ADR) : V1

Special provisions for carriage - Loading, unloading and handling (ADR) : CV15, CV22, Cv24

Special provisions for carriage - Operation

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
m-CHLOROPERBENZOIC ACID 65-77% EXTRA
PURE

CAS-No.: 937-14-4

(ADR)	:	S19
Tunnel restriction code (ADR)	:	D
EAC code	:	1WE
- Transport by sea		
Special provisions (IMDG)	:	122, 274
Limited quantities (IMDG)	:	500 g
Excepted quantities (IMDG)	:	E0
Packing instructions (IMDG)	:	P520
EmS-No. (Fire)	:	F-J
EmS-No. (Spillage)	:	S-R
Stowage category (IMDG)	:	D
Stowage and handling (IMDG)	:	Sw1
Segregation (IMDG)	:	SG35, Sg36
MFAG-No	:	145
- Air transport		
PCA Excepted quantities (IATA)	:	E0
PCA Limited quantities (IATA)	:	Forbidden
PCA limited quantity max net quantity (IATA)	:	Forbidden
PCA packing instructions (IATA)	:	570
PCA max net quantity (IATA)	:	5kg
CAO packing instructions (IATA)	:	570
CAO max net quantity (IATA)	:	10kg
Special provisions (IATA)	:	A20
ERG code (IATA)	:	5L
- Inland waterway transport		
Classification code (ADN)	:	P1
Special provisions (ADN)	:	122, 274
Limited quantities (ADN)	:	500 g
Excepted quantities (ADN)	:	E0
Equipment required (ADN)	:	PP, EX, A
Ventilation (ADN)	:	Ve01
Number of blue cones/lights (ADN)	:	0
- Rail transport		
Classification code (RID)	:	P1
Special provisions (RID)	:	122, 274
Limited quantities (RID)	:	500g
Excepted quantities (RID)	:	E0
Packing instructions (RID)	:	P520
Mixed packing provisions (RID)	:	Mp4
Transport category (RID)	:	2
Special provisions for carriage – Packages (RID)	:	W7
Special provisions for carriage – Loading,		

MATERIAL SAFETY DATA SHEET (SDS/MSDS)
m-CHLOROPERBENZOIC ACID 65-77% EXTRA
PURE

CAS-No.: 937-14-4

unloading and handling (RID) : CW22, CW24, Cw29
Colis express (express parcels) (RID) : Ce10
Hazard identification number (RID) : 539

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

m-Chloroperbenzoic Acid 65-77% Extra Pure is not on the REACH Candidate List

m-Chloroperbenzoic Acid 65-77% Extra Pure is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

NIET-limitatieve lijst van voor de : The substance is not listed

voortplanting giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de : The substance is not listed

voortplanting giftige stoffen –

Vruchtbaarheid

NIET-limitatieve lijst van voor de : The substance is not listed

voortplanting giftige stoffen – Ontwikkeling

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

MATERIAL SAFETY DATA SHEET (SDS/MSDS)**m-CHLOROPERBENZOIC ACID 65-77% EXTRA
PURE****CAS-No.: 937-14-4**

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Self-react. C	Self-Reactive Substances and Mixtures, Type C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H242	Heating may cause a fire.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
R36	Irritating to eyes
R37	Irritating to respiratory system
R38	Irritating to skin
R43	May cause sensitisation by skin contact
R8	Contact with combustible material may cause fire
O	Oxidising
Xi	Irritant

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Chemnovo Synthesis Pvt Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.chemnovo.in for additional terms and conditions of sale.

Version: 2.0
Revision Date: 09 February 2026